

SUBJECT INDEX

A

AB genes

- atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594
- Ca²⁺-based signaling systems and, 414, 416

abi mutants

- reactive oxygen species and, 388

abil mutants

- gibberellin signaling and, 199

Abiotic stress

- grass-seedborne fungal endophyte symbiosis and, 326-27
- naturally-occurring genetic variation in *Arabidopsis* and, 149, 163
- reactive oxygen species and, 373, 377-80, 386-87
- ubiquitin-26S proteasome proteolytic pathway and, 574-75

Absciscic acid (ABA)

- atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594
- Ca²⁺-based signaling systems and, 404, 406, 413-16, 418
- gibberellin signaling and, 199, 215
- ubiquitin-26S proteasome proteolytic pathway and, 572-73

Absolute growth rate

- naturally-occurring genetic variation in *Arabidopsis* and, 160

ACA genes

- Ca²⁺-based signaling systems and, 407

Acanthamoeba polyphaga

- sterol biosynthesis and accumulation, 434

Accessions

- naturally-occurring genetic variation in *Arabidopsis* and, 144-58, 161-62

Acid soil tolerance by crop plants

- aluminum tolerance, 462-63

activation of organic acid

- transporters, 468-69
- anion channels, 466-68
- cellular mechanisms of organic acid transport, 466

gene expression

- profiling, 477-78
- genetic analysis, 473
- genomic analysis, 476-79

internal detoxification, 471-72

- miscellaneous tolerance mechanisms, 469-70
- organic acid exudation from root, 462-66
- overview, 461

phenolic compounds exuded by roots, 470

- physiological mechanisms, 461-71
- potential mechanisms of aluminum exclusion, 470, 472

protein expression and activity profiling, 479

rhizosphere pH, 470-71

- tolerance loci with qualitative inheritance, 473-75

- tolerance loci with quantitative inheritance, 475-76

introduction, 460

manganese toxicity

- tolerance, 472-73

phosphorous efficiency

- (tolerance to P deficiency stress):

genetic analysis, 482-83

Pi homeostasis and

- transport, 481-83

- root exudates and P mobilization from soil, 480-81

- root morphology and architecture, 481

summary, 483

Act1 promoter

- gibberellin signaling and, 204

Actaea racemosa

- phytoestrogens and, 232

Actins

- history of research, 18

Action dichroism

- history of research, 12

Adaptation

- atmospheric CO₂ changes and Free-Air CO₂

Enrichment, 591-616

- naturally-occurring genetic variation in *Arabidopsis* and, 141-63

Adenosine triphosphate

(ATP)

- atmospheric CO₂ changes

- and Free-Air CO₂ Enrichment, 593, 611
- metabolic channeling in plants and, 89
- S-Adenosylmethionine-sterol-C-methyltransferases
- sterol biosynthesis and accumulation, 434–36
- ADH* gene
 - naturally-occurring genetic variation in *Arabidopsis* and, 145
- Aequorin
 - Ca²⁺-based signaling systems and, 406, 410
- AG* genes
 - initiation of flowering in *Arabidopsis* and, 527
- AGL20* gene
 - initiation of flowering in *Arabidopsis* and, 528
- Aglycones
 - phytoestrogens and, 227, 234–35, 243, 248
- AGO4* gene
 - DNA methylation and epigenetics, 52
- AGP* genes
 - acid soil tolerance by crops and, 479
- Agricultural biology
 - acid soil tolerance by crops and, 459–83
 - history of research, 4
- Agrobacterium tumefaciens*
 - ubiquitin–26S proteasome proteolytic pathway and, 576
- Aldolase
 - metabolic channeling in plants and, 90
- Aldoxime
 - metabolic channeling in plants and, 92
- Aleurone cells
 - gibberellin signaling and, 207–12
- Algae
 - Ca²⁺-based signaling systems and, 411
 - history of research, 11
 - metabolic channeling in plants and, 89–91
- Alicyclobacillus acidocauldarius*
 - sterol biosynthesis and accumulation, 432
- ALMT1* gene
 - acid soil tolerance by crops and, 468–69, 477
- Aloe* spp.
 - phytoestrogens and, 248
- Alp* genes
 - acid soil tolerance by crops and, 474–75
- ALR* genes
 - acid soil tolerance by crops and, 479
- Alt* genes
 - acid soil tolerance by crops and, 474–75
- Aluminum tolerance
 - acid soil tolerance by crops and, 459–63
- Alzheimer's disease
 - phytoestrogens and, 241
- Amino acids
 - sugar and amino acid transport, 341–62
- Amplified fragment length polymorphism (AFLP) markers
 - naturally-occurring genetic variation in *Arabidopsis* and, 144–45
- α -Amylase genes
 - gibberellin signaling and, 205, 207–13, 215
- Amylomaltase
 - atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
- Androgens
 - phytoestrogens and, 236–37, 240
- Andropogon gerardii*
 - atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613
- Angiosperms
 - atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594
- Anion channels
 - acid soil tolerance by crops and, 459–83
- ANLI* gene
 - initiation of flowering in *Arabidopsis* and, 529
- Antherioid
 - sterol biosynthesis and accumulation, 429
- Anthocyanidins
 - metabolic channeling in plants and, 97–98
- Anthocyanins
 - history of research, 9
 - metabolic channeling in plants and, 95
 - phytoestrogens and, 243
- Anthraquinones
 - phytoestrogens and, 249
- Antibiotics
 - DNA methylation and epigenetics, 45
 - gibberellin signaling and, 199–200
 - metabolic channeling in plants and, 98
- Antioxidants
 - phytoestrogens and, 235, 239
- AP* genes
 - initiation of flowering in *Arabidopsis* and, 521, 526–27
 - naturally-occurring genetic variation in *Arabidopsis* and, 145
- API::uidA* fusion gene

- initiation of flowering in
Arabidopsis and, 522-23
- Apigenin
 phytoestrogens and, 237
- Apophytochrome
 history of research, 14
- Apoproteins
 history of research, 13-14,
 16
- Apoptosis
 phytoestrogens and,
 238-39, 241
 reactive oxygen species
 and, 373
- Applied photobiology
 inauguration of, 19
- Arabidopsis thaliana*
 acid soil tolerance by crops
 and, 463-64, 469,
 471-73, 476-79, 482
 atmospheric CO₂ changes
 and Free-Air CO₂
 Enrichment, 594
 Ca²⁺-based signaling
 systems and, 403-10,
 413-18
 chromosome
 structure/organization
 and, 540-48
 DNA methylation and
 epigenetics, 43, 45-50,
 52-53, 55-57, 59-60
 gibberellin signaling and,
 199-207, 212-16
 history of research, 13,
 15-16
 initiation of flowering in
 autonomous pathway,
 524-25
 floral development as
 repressible process,
 522-23
 floral meristem identity
 genes, 526-27
 future research, 530
 genetic network
 construction, 523
 gibberellin pathway,
 523-24
 information signal,
 529-30
 integration pathway,
 527-29
 introduction, 521-22
 light-dependent
 pathway, 525-26
 study strategy, 522
 vernalization pathway,
 525-26
 metabolic channeling in
 plants and, 88, 92-99
 naturally-occurring genetic
 variation in
 case studies, 154-62
 conclusions, 163
 ecology, 143-44
 flowering time, 155-59
 genetic analysis of
 natural variation,
 145-54
 genetic basis of natural
 variation, 147-52
 genetic variation,
 144-45
 geographic distribution,
 143-44
 habitat, 143-44
 introduction, 142-45
 molecular basis of
 natural variation,
 152-54
 phenotype, 146-52
 plant growth, 160-62
 population structure,
 144-45
 QTL cloning, 152-54
 QTL mapping, 147-52
 quantitative trait loci,
 147-54
 quantitative trait
 nucleotides, 152-54
 taxonomic status,
 142-43
 phosphenolpyruvate
 carboxylase and, 71
 phytoestrogens and, 234,
 242-43, 250
 reactive oxygen species
 and, 376, 380, 383-85,
 388, 390
 sterol biosynthesis and
 accumulation, 429-49
 ubiquitin-26S proteasome
 proteolytic pathway and,
 555-80
 VIGS vectors and, 501,
 505, 507-9
- Arabinogalactans
 gibberellin signaling and,
 207, 211
- Aromatase
 phytoestrogens and, 241
- ART1 gene
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 156
- Artemisia vulgaris*
 phytoestrogens and, 244
- ASAI gene
 gibberellin signaling and,
 213
- Ascorholus immersus*
 DNA methylation and
 epigenetics, 53
- Aspergillus nidulans*
 metabolic channeling in
 plants and, 98
- Astasia longa*
 sterol biosynthesis and
 accumulation, 434
- Asthma
 phytoestrogens and, 242
- ATC gene
 initiation of flowering in
Arabidopsis and, 527
- ATHB-16 gene
 gibberellin signaling and,
 213
- Atherosclerosis
 phytoestrogens and, 240,
 250

- Athila* genes
 chromosome
 structure/organization
 and, 540
- ATML1* gene
 initiation of flowering in
Arabidopsis and, 529
- Atmospheric CO₂ changes
 Free-Air CO₂ Enrichment
 (FACE) and, 591
 C₄ photosynthesis,
 613–14
 choice of FACE, 601–3
 conclusions, 615–16
 downregulation, 610–13
 downregulation of
 photosynthetic capacity
 by elevated CO₂,
 599–613
 expectable increases in
 photosynthesis and
 production under
 elevated [CO₂], 596–99
 independent acclimation
 of stomatal function,
 614
 introduction, 592
 meta-analysis, 606–15
 nature of FACE, 603–6
 plant sensing and
 response to rising
 [CO₂] in the short term,
 592–96
 rising atmospheric
 carbon dioxide and,
 591–616
 sustained increase in
 photosynthesis, 613
 translation of increased
 photosynthesis into
 increased production,
 615
- AtMYB34/ATRI* gene
 gibberellin signaling and,
 213
- ATT1* gene
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 145
- au* gene
 history of research, 15
- Autofluorescent proteins
 (AFPs)
 chromosome
 structure/organization
 and, 537, 549
- Autonomous pathway
 initiation of flowering in
Arabidopsis and, 521,
 524–25
- Auxins
 gibberellin signaling and,
 215–16
 history of research, 7, 9
 ubiquitin–26S proteasome
 proteolytic pathway and,
 571–72
- Avena sativa*
 acid soil tolerance by crops
 and, 463
- Avena* spp.
 history of research, 7, 9
- axr* mutants
 gibberellin signaling and,
 215
- B**
- Backcross inbred lines (BILs)
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 148
- Bacteria
 DNA methylation and
 epigenetics, 61
 history of research, 14
 metabolic channeling in
 plants and, 88, 100
 phosphoenolpyruvate
 carboxylase and, 69,
 72–76, 79
 phytoestrogens and, 235,
 249
 sterol biosynthesis and
 accumulation, 434
- bal* gene
 DNA methylation and
 epigenetics, 58
- BHQ
 Ca²⁺-based signaling
 systems and, 412
- BIG* gene
 gibberellin signaling and,
 215
- Bilin
 history of research, 16
- Binary switch model
 Ca²⁺-based signaling
 systems and, 418–19
- Biochanin A
 phytoestrogens and, 227,
 229, 233, 235, 237–38
- Biosphere
 atmospheric CO₂ changes
 and Free-Air CO₂
 Enrichment, 591–616
- Biotic stress
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 149, 163
 reactive oxygen species
 and, 373, 375–76, 386–87
 ubiquitin–26S proteasome
 proteolytic pathway and,
 576–77
- Bladder cancer
 phytoestrogens and, 238
- Blood cancer
 phytoestrogens and, 238
- Blue light
 history of research, 11
 initiation of flowering in
Arabidopsis and, 525
- Botanophila* spp.
 grass-seedborne fungal
 endophyte symbiosis and,
 320
- Botany
 history of research, 4–12
- Bp-80 receptor
 metabolic channeling in
 plants and, 97

- BPBF gene**
gibberellin signaling and, 211–12
- Bracchiaria spp.**
acid soil tolerance by crops and, 472
- Bracts**
history of research, 5
- Brassica napus**
acid soil tolerance by crops and, 463, 478
naturally-occurring genetic variation in *Arabidopsis* and, 159
ubiquitin–26S proteasome proteolytic pathway and, 576
- Brassinosteroids**
sterol biosynthesis and accumulation, 429
- Breast cancer**
phytoestrogens and, 225, 236–37, 239, 241, 247–49
- Broussonetia spp.**
history of research, 6
- Bryonia tendris**
Ca²⁺-based signaling systems and, 406
- C**
- C₃ photosynthetic pathway**
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591–616
- C₄ photosynthesis**
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613–14
single-cell C₄ photosynthesis vs dual cell (Kranz) paradigm, 173–92
- C24 accession**
naturally-occurring genetic variation in *Arabidopsis* and, 157
- Ca²⁺**
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594, 600
decoding Ca²⁺ signals through plant protein kinases, 263–83
gibberellin signaling and, 214–15
signaling systems and binding, 407–9
[Ca²⁺]_{cyt} oscillations, 411–18
[Ca²⁺]_{cyt} transients, 411–18
Ca²⁺-permeable channels, 403
conclusions, 418–19
disruption studies, 408
dissected components of Ca²⁺ signals, 403
endomembrane Ca²⁺ channels, 406
endoplasmic reticulum, 408–9
entry points, 403
functional roles, 408
future research, 418–19
guard cells, 413–16
homeostasis, 408–9
introduction, 402–3
legume root hair Nod Factor signaling, 411–13
“marks”, 409–10
mitochondria as Ca²⁺ buffers, 409–10
plasma membrane depolarization-activated Ca²⁺ channels, 403–4
plasma membrane hyperpolarization-activated Ca²⁺ channels, 404–5
plasma membrane nonselective cation channels, 405–6
propagation of plant Ca²⁺ signals, 410–11
pumping, 407–8
shaping Ca²⁺ signal, 407–8
“sparks”, 409–10
cab2::luciferase reporter transgene
history of research, 18
CACTA transposons
DNA methylation and epigenetics, 49, 57
Caenorhabditis elegans
VIGS vectors and, 496–97, 508, 510
CAL gene
naturally-occurring genetic variation in *Arabidopsis* and, 145
Calcineurin
Ca²⁺-based signaling systems and, 406
Calcium-dependent protein kinase (CDPK)
Ca²⁺-based signaling systems and, 407
Calmodulin
Ca²⁺-based signaling systems and, 402, 406–8
gibberellin signaling and, 214–15
Calossin-like protein
gibberellin signaling and, 215
Calvin cycle
metabolic channeling in plants and, 85, 89–91
Cameleons
Ca²⁺-based signaling systems and, 419
Campesterol
phytoestrogens and, 227
sterol biosynthesis and accumulation, 435–36, 440
Campesterol
phytoestrogens and, 238

- Cancer
phytoestrogens and, 225,
230–31, 235–39, 241,
247–50
- Canopy
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 595, 597,
611–12
- Carbohydrates
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 599–600,
608–9, 611–12, 615
initiation of flowering in
Arabidopsis and, 529
naturally-occurring genetic
variation in *Arabidopsis*
and, 161
phytoestrogens and, 235
sugar and amino acid
transport, 341–62
- Carbon
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 595, 599,
615
sterol biosynthesis and
accumulation, 435
sugar and amino acid
transport, 341–62
- Carbon dioxide (CO₂)
rising atmospheric
Free-Air CO₂
Enrichment and,
591–616
- Carbonic anhydrase
metabolic channeling in
plants and, 89–90
- Carboxylation
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 595–99,
613–14
- Cardaminopsis* spp.
naturally-occurring genetic
variation in *Arabidopsis*
and, 143
- Cardiovascular disease
phytoestrogens and, 225,
239–40, 248, 250
- Carica papaya*
acid soil tolerance by crops
and, 478
- Carpinus* spp.
history of research, 6
- Carthamus tinctorius*
phytoestrogens and, 249
- Cassia* spp.
phytoestrogens and, 248
- Cassia tora*
acid soil tolerance by crops
and, 463, 465
- Catalytic reaction mechanism
phosphoenolpyruvate
carboxylase and, 75–76
- β -Catenins
gibberellin signaling and,
200
- Caveolae
sterol biosynthesis and
accumulation, 430
- CAX genes
acid soil tolerance by crops
and, 472
Ca²⁺-based signaling
systems and, 407–8
- CCAL gene
initiation of flowering in
Arabidopsis and, 526
- cDNA cloning
phosphoenolpyruvate
carboxylase and, 78–79
sterol biosynthesis and
accumulation, 429
- Cell death
gibberellin signaling and,
208
- Cell division
ubiquitin–26S proteasome
proteolytic pathway and,
570–71
- Cell regulation
ubiquitin–26S proteasome
proteolytic pathway and,
555–80
- Cellular immunity
phytoestrogens and, 242
- CEN gene
initiation of flowering in
Arabidopsis and, 528
- Centromere repeats
naturally-occurring genetic
variation in *Arabidopsis*
and, 144
- Cereal aleurone cells
gibberellin signaling and,
207–12
- Chalcones
metabolic channeling in
plants and, 96, 98–99
phytoestrogens and, 233,
245
- Chi genes
naturally-occurring genetic
variation in *Arabidopsis*
and, 145
- Chl genes
VIGS vectors and, 506–7
- Chlamydomonas* spp.
metabolic channeling in
plants and, 89–91
- Chlorophyll
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 608–9
- Chloroplasts
Ca²⁺-based signaling
systems and, 402
plastid transformation in
higher plants, 289–304
reactive oxygen species
and, 377–79
- Cholesterol
phytoestrogens and, 240,
248
sterol biosynthesis and
accumulation, 429–30
- Chromatin
chromosome
structure/organization

- and, 537, 542–48
- Chromocenters**
DNA methylation and epigenetics, 53
- Chromophores**
history of research, 16
- Chromosome**
structure/organization
chromatin
composition, 539
genomic information processes, 540–42
macromolecular structure, 539
structure, 540–42
classical cytological approaches, 542
conclusions, 548–49
DAPI staining, 542
fluorescence in situ hybridization, 543–45
fluorescent dUTP incorporation, 545
fluorescent protein-based chromatin tagging, 545–48
genomic in situ hybridization, 544
heterochromatin, 542
introduction, 538
technologies for visualizing DNA and chromatin, 542–48
- Chrysosplenium americanum*
metabolic channeling in plants and, 96
- CHS gene**
DNA methylation and epigenetics, 50
- Cimicifuga racemosa*
phytoestrogens and, 232
- Cinnamate 4-hydroxylase (C4H)**
metabolic channeling in plants and, 94–96
- Circadian rhythms**
ubiquitin–26S proteasome proteolytic pathway and, 575
- cis-acting elements**
gibberellin signaling and, 197–98, 208–11, 213
- Clavicipitaceous fungi**
grass-seedborne fungal endophyte symbiosis and, 315–31
- Cleaved amplified polymorphic sequences (CAPS) markers**
naturally-occurring genetic variation in *Arabidopsis* and, 144–45, 150
- CLF genes**
initiation of flowering in *Arabidopsis* and, 523
- Cloning**
naturally-occurring genetic variation in *Arabidopsis* and, 152–54
phosphoenolpyruvate carboxylase and, 78–79
sterol biosynthesis and accumulation, 429
- CLV2 gene**
naturally-occurring genetic variation in *Arabidopsis* and, 145
- CMT genes**
DNA methylation and epigenetics, 56–59
- CO genes**
initiation of flowering in *Arabidopsis* and, 522, 525–29
naturally-occurring genetic variation in *Arabidopsis* and, 159
- Cognitive function**
phytoestrogens and, 225, 240–41
- Col accession**
naturally-occurring genetic variation in *Arabidopsis* and, 146, 153, 156–57, 162
- Colocasia esculenta*
acid soil tolerance by crops and, 463
- Colon cancer**
phytoestrogens and, 238, 247
- Commelina communis*
Ca²⁺-based signaling systems and, 413–15
- Congenetic lines (CLs)**
naturally-occurring genetic variation in *Arabidopsis* and, 148
- Conifers**
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594
- Coniferyl alcohol**
phytoestrogens and, 228, 247
- Conjugation**
gibberellin signaling and, 215
sterol biosynthesis and accumulation, 445–46
ubiquitin–26S proteasome proteolytic pathway and, 558–62
- Coordinated life histories**
grass-seedborne fungal endophyte symbiosis and, 316–21
- cop1 mutants**
initiation of flowering in *Arabidopsis* and, 523
- Co-phylogeny**
with hosts
grass-seedborne fungal endophyte symbiosis and, 328–29
- Cotyledons**
initiation of flowering in *Arabidopsis* and, 522–23
- p-Coumarate**
metabolic channeling in

- plants and, 94
- 4-Coumarate: CoA ligase
metabolic channeling in
plants and, 94–95, 98
- Coumaric acid
history of research, 8
- p*-Coumaroyl ester
history of research, 8
- Coumestrol
phytoestrogens and, 227,
229, 234, 236–38, 245
- CP12 protein
metabolic channeling in
plants and, 90–91
- Crithidia fasciculata*
sterol biosynthesis and
accumulation, 434
- Crops
acid soil tolerance by crops
and, 459–83
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 591, 603–5,
608, 610, 612–13, 615
history of research, 6
naturally-occurring genetic
variation in *Arabidopsis*
and, 142, 159, 163
- Crosstalk
history of research, 19
- Cruciferae
naturally-occurring genetic
variation in *Arabidopsis*
and, 142
- CRY* genes
initiation of flowering in
Arabidopsis and, 525–27
naturally-occurring genetic
variation in *Arabidopsis*
and, 154, 157
- Cryptochromes
history of research, 19
- C terminal domain
gibberellin signaling and,
204–5
- Cvi accession
naturally-occurring genetic
variation in *Arabidopsis*
and, 151, 161–62
- cvp1* mutants
sterol biosynthesis and
accumulation, 436
- Cyanobacteria
metabolic channeling in
plants and, 90
- Cyan fluorescent protein
metabolic channeling in
plants and, 92
- Cyclic guanosine
monophosphate (cGMP)
gibberellin signaling and,
207–8
- Cyclic nucleotide gated
channel (CNGC)
Ca²⁺-based signaling
systems and, 403, 405
- Cyclin-dependent kinase
naturally-occurring genetic
variation in *Arabidopsis*
and, 161
- Cycloartenol
sterol biosynthesis and
accumulation, 434–35
- Cycloartenol synthase
sterol biosynthesis and
accumulation, 432, 434
- Cyclopropyl sterol isomerase
sterol biosynthesis and
accumulation, 437
- CYP enzymes
metabolic channeling in
plants and, 92–93
- CYP* genes
sterol biosynthesis and
accumulation, 440
- Cysteine proteinase
promoters
gibberellin signaling and,
209
- Cysteine synthase complex
metabolic channeling in
plants and, 85, 87–89
- Cytochrome P450
metabolic channeling in
plants and, 92–93
- phytoestrogens and, 235,
244–45, 248
- sterol biosynthesis and
accumulation, 432
- Cytogenetic polymorphisms
naturally-occurring genetic
variation in *Arabidopsis*
and, 144
- Cytokinins
gibberellin signaling and,
216
- sterol biosynthesis and
accumulation, 432
- ubiquitin–26S proteasome
proteolytic pathway and,
573
- Cytoplasmic motility
history of research, 18
- Cytosine methyltransferases
DNA methylation and
epigenetics, 41, 55–58
- D**
- 2,4-D
history of research, 6, 7, 19
- d1* mutants
gibberellin signaling and,
199, 207
- Daidzein
phytoestrogens and,
226–27, 229–36, 238,
243, 245
- DAPI staining
chromosome
structure/organization
and, 542
- Dark respiration
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 593
- Daucus carota*
acid soil tolerance by crops
and, 478
- DCL* genes
DNA methylation and
epigenetics, 46–47

- DDM1* gene
 chromosome
 structure/organization and, 540–41
 DNA methylation and epigenetics, 58–61
 Dehydrogenases
 alternative NAD(P)H dehydrogenases of plant mitochondria, 23–34
 DELLA proteins
 gibberellin signaling and, 197, 201–5, 207, 212
 14-Demethylase inhibitors
 sterol biosynthesis and accumulation, 432
 4 α -Demethylation
 sterol biosynthesis and accumulation, 436–37
 Deoxymiroestrol
 phytoestrogens and, 248
 Depolarization-activated
 Ca²⁺ channels (DACCs)
 plasma membrane
 Ca²⁺-based signaling systems and, 403–4
 Derepression
 gibberellin signaling and, 197, 203–5
 O-Desmethylanogolensin
 phytoestrogens and, 235
det3 mutants
 Ca²⁺-based signaling systems and, 408, 417–18
 Detoxification
 reactive oxygen species and, 380–82
 Deubiquinating enzymes (DUBs)
 ubiquitin–26S proteasome proteolytic pathway and, 564–65
 Development
 history of research, 5–8, 10–11
 initiation of flowering in *Arabidopsis* and, 521–30
 sterol biosynthesis and accumulation, 429–49
 ubiquitin–26S proteasome proteolytic pathway and, 569–70, 577–78
 Dhurrin pathway
 metabolic channeling in plants and, 91–94
 Diabetes
 phytoestrogens and, 240
 2,4-Dichlorophenol
 history of research, 7
 Dicots
 gibberellin signaling and, 202
 history of research, 5–6, 19
Dictyostelium discoideum
 sterol biosynthesis and accumulation, 434
 Dietary sources
 phytoestrogens and, 225, 227–32, 250
 Differential photoreception
 history of research, 1
 Differentiation
 history of research, 11
 Dihydroflavonol reductase
 metabolic channeling in plants and, 99
 Dihydrofolate reductase
 metabolic channeling in plants and, 100
 2,6-Dihydroxyanthraquinone
 phytoestrogens and, 249
 4,4-Dimethyl sterol
 sterol biosynthesis and accumulation, 436–37
 Dimethylchromene
 phytoestrogens and, 227
 Disease
 phytoestrogens and, 225, 235–40, 247–50
 Disruption studies
 Ca²⁺-based signaling systems and, 408
dmi mutants
 Ca²⁺-based signaling systems and, 412
 DNA methylation
 epigenetics and alternative mechanisms of DNA methylation targeting, 52–53
 amplification of aberrant RNA, 49–52
 conclusions, 61
 cytosine methyltransferases, 55–58
 DDM1 chromatin remodeling helicase, 58–59
 dsRNA signals for DNA methylation, 46–47
 histone modifying factors, 59–61
 introduction, 42–43
 paramutation, 54–55
 patterning, 47–48
 repeated arrays, 53
 RNA as signal for DNA methylation, 52–55
 RNA-dependent RNA polymerases, 49–52
 RNA-directed DNA methylation, 43–49
 RNA processing factors involved in gene silencing, 52
 siRNA signals for DNA methylation, 46–47
 targeted gene silencing via RNA, 45–46
 transposons, 48–49
 DOF gene
 gibberellin signaling and, 211–13
 Double-tracked primordial formation
 history of research, 5
 Downregulation
 of photosynthetic capacity
 atmospheric CO₂ changes and Free-Air

- CO₂ Enrichment,
599–601, 610–13
- Drift
naturally-occurring genetic
variation in *Arabidopsis*
and, 145
- DRM genes
DNA methylation and
epigenetics, 57–58
- Drosophila* spp.
chromosome
structure/organization
and, 538, 548
gibberellin signaling and,
200
initiation of flowering in
Arabidopsis and, 525
ubiquitin–26S proteasome
proteolytic pathway and,
578
- dsRNA
VIGS vectors and, 495
- dsRNA signals
DNA methylation and
epigenetics, 46–47
- Dual cell paradigm
vs single-cell C₄
photosynthesis, 173–92
- dUTP incorporation
fluorescent
chromosome
structure/organization
and, 545
- dwarf1* mutants
gibberellin signaling and,
199, 207
- E**
- E3 ligases
ubiquitin–26S proteasome
proteolytic pathway and,
559–61
- E3 ligase SCF complex
gibberellin signaling and,
197, 205–6
- EBS gene
initiation of flowering in
Arabidopsis and, 528
- ECA genes
acid soil tolerance by crops
and, 473
Ca²⁺-based signaling
systems and, 407–8
- Ecdysteroids
sterol biosynthesis and
accumulation, 429
- Ecology
naturally-occurring genetic
variation in *Arabidopsis*
and, 141, 143–44, 158,
163
- EDI genes
naturally-occurring genetic
variation in *Arabidopsis*
and, 157
- ELAV gene
initiation of flowering in
Arabidopsis and, 525
- Electron transport
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 594
- ELF genes
initiation of flowering in
Arabidopsis and, 522
- EMF genes
initiation of flowering in
Arabidopsis and, 522–23
- Emodin
phytoestrogens
and, 249
- Enclosure studies
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 591, 601–6,
609–11, 613–15
- Endomembrane Ca²⁺
channels
Ca²⁺-based signaling
systems and, 402, 406
- Endoplasmic reticulum
Ca²⁺-based signaling
systems and, 408–9
- Enterodiol
phytoestrogens and, 228,
246, 248
- Enterolactone
phytoestrogens and, 226,
228, 237, 246–48
- Enzyme complexes
cooperative
metabolic channeling in
plants and, 85–101
- EPB-1 gene
gibberellin signaling and,
210
- Epicatechin gallate
phytoestrogens and, 239
- Epichloë* spp.
grass-seedborne fungal
endophyte symbiosis and,
315–31
- Epidermal growth factor
receptor (EGFR)
phytoestrogens and, 236
- Epigenetics
DNA methylation and,
41–61
- Epistatic interactions
initiation of flowering in
Arabidopsis and, 522
naturally-occurring genetic
variation in *Arabidopsis*
and, 146
- Equol
phytoestrogens and, 226,
235–36, 238
- ER genes
naturally-occurring genetic
variation in *Arabidopsis*
and, 151
- ERA1 gene
Ca²⁺-based signaling
systems and, 416
- erecta* mutants
acid soil tolerance by crops
and, 476
initiation of flowering in
Arabidopsis and, 524
naturally-occurring genetic
variation in *Arabidopsis*

- and, 148, 156, 161–62
erg mutants
 sterol biosynthesis and
 accumulation, 434–36,
 440
Escherichia coli
 metabolic channeling in
 plants and, 88, 100
 phosphoenolpyruvate
 carboxylase and, 69,
 72–76, 79
 Esterification
 sterol biosynthesis and
 accumulation, 445
 Estradiol
 phytoestrogens and, 229,
 241, 250
 Estrogens
 phytoestrogens and,
 225–50
 Ethyl methane sulfonate
 (EMS) point mutations
 sterol biosynthesis and
 accumulation, 429, 431
 Ethylene
 gibberellin signaling and,
 216
 ubiquitin–26S proteasome
 proteolytic pathway and,
 574
 24-Ethylsterols
 sterol biosynthesis and
 accumulation, 434
 Etiolated plumules
 history of research, 8
Eucalyptus perriniana
 phytoestrogens and, 234
 Evolution
 atmospheric CO₂ changes
 and Free-Air CO₂
 Enrichment, 593
 DNA methylation and
 epigenetics, 53
 grass-seedborne fungal
 endophyte symbiosis and,
 328–30
 history of research, 5, 19
 metabolic channeling in
 plants and, 94
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 141, 145, 158–59,
 163
 sterol biosynthesis and
 accumulation, 432
 Expansins
 gibberellin signaling and,
 213
- F**
F3H gene
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 145
FACKEL gene
 sterol biosynthesis and
 accumulation, 440
Fagopyrum esculentum
 acid soil tolerance by crops
 and, 463
Fagus spp.
 atmospheric CO₂ changes
 and Free-Air CO₂
 Enrichment, 594
 history of research, 6
FAH gene
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 145
 F-box proteins
 gibberellin signaling and,
 199
FCA gene
 initiation of flowering in
Arabidopsis and, 528–29
FD gene
 initiation of flowering in
Arabidopsis and, 521, 529
 Feedback regulation
 gibberellin signaling and,
 214
FE gene
 initiation of flowering in
Arabidopsis and, 521, 529
- Ferns
 history of research, 11
 Fertility
 phytoestrogens and, 225,
 241–42
fha mutants
 initiation of flowering in
Arabidopsis and, 525, 527
 Fiber
 dietary
 phytoestrogens and, 235
Ficus spp.
 history of research, 6
fk mutants
 sterol biosynthesis and
 accumulation, 440
 Flavonoid 3'-hydroxylase
 metabolic channeling in
 plants and, 95–96
 Flavonoids
 history of research, 9
 metabolic channeling in
 plants and, 94–95, 98
 phytoestrogens and, 234,
 244–45
 Flavonols
 phytoestrogens and, 239,
 243
 Flaxseed
 phytoestrogens and, 225,
 227, 248, 250
FLC gene
 initiation of flowering in
Arabidopsis and, 524–25,
 528
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 146, 151, 153–54,
 156–58
 Floral meristem identity
 genes
 initiation of flowering in
Arabidopsis and, 521,
 526–27
 Floral physiology
 history of research, 4
 Florigen hypothesis

- initiation of flowering in
Arabidopsis and, 529
- Flowering time
initiation of in *Arabidopsis*,
521–30
naturally-occurring genetic
variation in *Arabidopsis*
and, 141, 143–44, 149,
151, 155–59, 163
- Fluorescence in situ
hybridization (FISH)
chromosome
structure/organization
and, 537–38, 542–47, 549
- Fluorescence resonance
energy transfer (FRET)
 Ca^{2+} -based signaling
systems and, 419
metabolic channeling in
plants and, 99–100
- Fluorescent protein-based
chromatin tagging
chromosome
structure/organization
and, 545–48
- Flutamide
phytoestrogens and, 240
- FMI* genes
initiation of flowering in
Arabidopsis and, 526–27
- Foliage leaves
history of research, 5
- Food and Drug
Administration (FDA)
phytoestrogens and, 240
- Forests
atmospheric CO_2 changes
and Free-Air CO_2
Enrichment, 602–5,
612–13
- Formononetin
phytoestrogens and, 227,
229, 232–33, 235, 238,
243
- Forsythia intermedia*
phytoestrogens and, 247
- fpa* mutants
gibberellin signaling and,
203
initiation of flowering in
Arabidopsis and, 525, 529
- Free-Air CO_2 Enrichment
(FACE)
meta-analysis
average responses of
plants, 607–9, 611
procedure, 606–7
- “French paradox”
phytoestrogens and, 246
- FRI* gene
initiation of flowering in
Arabidopsis and, 524
naturally-occurring genetic
variation in *Arabidopsis*
and, 145–46, 153–54,
156–58
- Fructose-1,6-biphosphatase
atmospheric CO_2 changes
and Free-Air CO_2
Enrichment, 611
metabolic channeling in
plants and, 90
- FT* genes
initiation of flowering in
Arabidopsis and, 521,
527–29
naturally-occurring genetic
variation in *Arabidopsis*
and, 159
- Fucus* spp.
 Ca^{2+} -based signaling
systems and, 409–10
- Functional genomics
VIGS vectors and, 495,
508–9
- Fungal elicitor
 Ca^{2+} -based signaling
systems and, 414
- Fungal pollination
grass-seedborne fungal
endophyte symbiosis and,
320–21
- Fungi
grass-seedborne fungal
endophyte symbiosis and,
315–31
history of research, 4, 9
- Furuya M, 1–19
- fve* mutants
initiation of flowering in
Arabidopsis and, 525, 529
- FWA* gene
DNA methylation and
epigenetics, 55–57
initiation of flowering in
Arabidopsis and, 521,
528–29
naturally-occurring genetic
variation in *Arabidopsis*
and, 157
- FY* gene
initiation of flowering in
Arabidopsis and, 525
- G**
- GA* genes
gibberellin signaling and,
203, 211, 213–14
initiation of flowering in
Arabidopsis and, 524
- gai* mutants
gibberellin signaling and,
200–2, 204, 206–7, 214
initiation of flowering in
Arabidopsis and, 524, 529
naturally-occurring genetic
variation in *Arabidopsis*
and, 159
- GAMYB* transcription factor
gibberellin signaling and,
208–15
- GARC* regulatory elements
gibberellin signaling and,
209–12
- GA*-response element
(*GARE*)
gibberellin signaling and,
208–10
- GASAI-luciferase* fusion gene
gibberellin signaling and,
202

- gca2* mutants
 Ca²⁺-based signaling systems and, 418
- Geminiviruses
 VIGS vectors and, 495–510
- Gene expression profiling
 acid soil tolerance by crops and, 477–78
- Gene silencing
 DNA methylation and epigenetics, 41–61
 sterol biosynthesis and accumulation, 431
 VIGS vectors for, 495–510
- Genetic network construction
 initiation of flowering in *Arabidopsis* and, 523
- Genistein
 phytoestrogens and, 226–27, 229–45
- Genomic in situ hybridization (GISH)
 chromosome structure/organization and, 537, 544
- Genomics
 acid soil tolerance by crops and, 476–79
 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 603
 chromosome structure/organization and, 537–49
 DNA methylation and epigenetics, 41–61
 gibberellin signaling and, 216
 history of research, 4
 naturally-occurring genetic variation in *Arabidopsis* and, 141–42, 147–48, 152, 159
 phytoestrogens and, 243
 sterol biosynthesis and accumulation, 429–30, 432–37, 439–49
 ubiquitin–26S proteasome proteolytic pathway and, 565–66
 VIGS vectors and, 495, 508–9
- Geographic distribution
 naturally-occurring genetic variation in *Arabidopsis* and, 143–44
- 8-Geranyl naringenin
 phytoestrogens and, 244
- GFP genes
 DNA methylation and epigenetics, 44–45, 50–52, 56
 gibberellin signaling and, 200–1, 204, 206, 215
- Gibberella* spp.
 history of research, 9
- Gibberellin (GA)
 history of research, 6, 9
 naturally-occurring genetic variation in *Arabidopsis* and, 155
 pathway
 initiation of flowering in *Arabidopsis* and, 521, 523, 524
 signaling mechanism and *Arabidopsis* model, 206–7
 cell types, 213–14
 cereal aleurone cells, 207–12
 cis-acting elements in hydrolase genes, 208–11
 components of response pathway, 202–3
 conclusions, 216
 C terminus of DELLA proteins, 204–5
 DELLA domain, 204–5
 DELLA proteins, 203–5
 derepression, 203–5
 E3 ligase SCF complex, 205–6
 feedback regulation of GA metabolism, 214
 GARC regulatory elements, 209–12
 GA response mutants, 198–99
 GA response pathway, 214
 gene expression, 207, 213–14
 interaction with other hormone signaling pathways, 214–16
 introduction, 198
 negative regulators, 200–2
 positive regulators, 199–200
 protein degradation, 203–5
 RGA protein, 205–6
 signal transduction, 207–12
 SLY1 protein, 205–6
 transcription factors, 209–12
 ubiquitin–26S proteasome pathway, 205–6, 572
 sterol biosynthesis and accumulation, 432
- gid2* mutants
 gibberellin signaling and, 199, 205–7, 210
- GI genes
 initiation of flowering in *Arabidopsis* and, 522, 526–27
- Ginsenoside
 phytoestrogens and, 248
- GLI gene
 naturally-occurring genetic variation in *Arabidopsis* and, 148

- Glabrene
phytoestrogens and, 232
- Glabridin
phytoestrogens and, 232
- Global change
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591–616
- Global interaction-detection methods
metabolic channeling in plants and, 100–1
- Glucose
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
- β -Glucosidases
phytoestrogens and, 228–29
- Glucosides
metabolic channeling in plants and, 85
phytoestrogens and, 234, 248
sterol biosynthesis and accumulation, 429
- Glucosinolates
naturally-occurring genetic variation in *Arabidopsis* and, 148, 150–51, 153–54
- Glucosyltransferase
metabolic channeling in plants and, 92–93, 96
phytoestrogens and, 228–29
- β -Glucuronidases
initiation of flowering in *Arabidopsis* and, 522
- Glucuronides
phytoestrogens and, 235
- Glutamate receptor channels (GLR)
Ca²⁺-based signaling systems and, 403, 405–6
- Glutamine synthase
naturally-occurring genetic variation in *Arabidopsis* and, 162
- Glyceraldehyde-3-phosphate dehydrogenase (GAPDH)
metabolic channeling in plants and, 89–91
- Glychirrizia echinata*
phytoestrogens and, 232
- Glycine decarboxylase
metabolic channeling in plants and, 100
- Glycine max*
acid soil tolerance by crops and, 463
sterol biosynthesis and accumulation, 434, 436
- Glycitein
phytoestrogens and, 229
- Glycolate
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593
- Glycosides
phytoestrogens and, 229, 234, 246–47
- Glycosylation
metabolic channeling in plants and, 92
phytoestrogens and, 227
sterol biosynthesis and accumulation, 445–46
- Glycosyltransferase
phytoestrogens and, 234
- Glyphosphate
phytoestrogens and, 232
- G proteins
gibberellin signaling and, 207
- GPA1 gene
Ca²⁺-based signaling systems and, 416
gibberellin signaling and, 199
- Grafting
initiation of flowering in *Arabidopsis* and, 530
- GRAS genes
gibberellin signaling and, 201, 203
initiation of flowering in *Arabidopsis* and, 529
- Green fluorescent protein (GFP)
chromosome structure/organization and, 537, 546–48
metabolic channeling in plants and, 96, 101
- Greenhouse studies
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 609
- GSA genes
VIGS vectors and, 506
- gse1* mutants
gibberellin signaling and, 206
- Guaiacyl lignin
metabolic channeling in plants and, 95
- Guard cells
Ca²⁺-based signaling systems and, 401–19
- ## H
- Habitat
naturally-occurring genetic variation in *Arabidopsis* and, 143–44
- Hd* genes
naturally-occurring genetic variation in *Arabidopsis* and, 159
- hda6* mutants
DNA methylation and epigenetics, 60
- Heart disease
phytoestrogens and, 225, 239–40, 248, 250
- HEDGEHOG gene
sterol biosynthesis and accumulation, 429
- Helianthus annuus*
acid soil tolerance by crops

- and, 463
- Helicases
DNA methylation and epigenetics, 58–59
- Heterochromatin
chromosome
structure/organization and, 540, 542
DNA methylation and epigenetics, 41–61
- Heterophylly
history of research, 1, 6–7, 19
- Hexokinase
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
- High-density lipoprotein (HDL)
phytoestrogens and, 240
- High irradiance reaction (HIR)
history of research, 16–17
- High-throughput genetics
naturally-occurring genetic variation in *Arabidopsis* and, 141–42
- High-throughput methods
metabolic channeling in plants and, 100–1
- Hippocampal cholinergic neurostimulating peptide (HCNP)
initiation of flowering in *Arabidopsis* and, 528
- Histidine kinases
reactive oxygen species and, 383
- Histones
chromosome
structure/organization and, 539–41
DNA methylation and epigenetics, 41, 59–61
- Homeostasis
acid soil tolerance by crops and, 481, 483
Ca²⁺-based signaling systems and, 408–9
ubiquitin–26S proteasome proteolytic pathway and, 569–70
- Homeostatic traits
naturally-occurring genetic variation in *Arabidopsis* and, 147
- Homo sapiens*
sterol biosynthesis and accumulation, 444
- Hordeum vulgare*
acid soil tolerance by crops and, 474
- Hormone signaling pathways
gibberellin signaling and, 197–216
ubiquitin–26S proteasome proteolytic pathway and, 571–74
- Host physiology
grass-seedborne fungal endophyte symbiosis and, 326–28
- Host specificity
grass-seedborne fungal endophyte symbiosis and, 328
- HP1 protein
DNA methylation and epigenetics, 59
- hpRNA
VIGS vectors and, 495, 497, 510
- HRT genes
gibberellin signaling and, 207, 211–12
- Human-induced migrations
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Humidity
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 594, 602
- Humoral immunity
phytoestrogens and, 242
- Humulus lupulus*
phytoestrogens and, 244
- hy genes
gibberellin signaling and, 209, 211–13, 215
history of research, 15
- Hydrangea* spp.
acid soil tolerance by crops and, 471
- Hydrogen peroxide
reactive oxygen species and, 377–79
- Hydrolase genes
gibberellin signaling and, 208–11
- 2-Hydroxyisoflavone
phytoestrogens and, 233
- Hydroxylases
metabolic channeling in plants and, 94–96
- p*-Hydroxyphenyl-acetaldoxime
metabolic channeling in plants and, 93
- Hyperpolarization-activated Ca²⁺ channels (HACCs)
plasma membrane
Ca²⁺-based signaling systems and, 404–5
- Hypocotyls
gibberellin signaling and, 216
initiation of flowering in *Arabidopsis* and, 522–23
- I**
- Immunity
phytoestrogens and, 225, 242
- Indel polymorphisms
naturally-occurring genetic variation in *Arabidopsis* and, 153–54
- Indoleacetic acid (IAA)
history of research, 7
- Indoleacetic acid oxidase

- history of research, 1–8
- Inflammation
phytoestrogens and, 225, 238, 242
- Information signal
initiation of flowering in *Arabidopsis* and, 529–30
- Initiation of flowering in *Arabidopsis*, 521–30
- Inositol-1,2,3,4,5,6-hexakisphosphate
naturally-occurring genetic variation in *Arabidopsis* and, 162
- Insects
grass-seedborne fungal endophyte symbiosis and, 322–23
history of research, 4
naturally-occurring genetic variation in *Arabidopsis* and, 149, 151
- Integration pathway
initiation of flowering in *Arabidopsis* and, 521, 527–29
- Internal detoxification
acid soil tolerance by crops and, 471–72
- Interphase
chromosome structure/organization and, 537
- Interspecific hybrids
grass-seedborne fungal endophyte symbiosis and, 329–30
- Intestinal microflora
phytoestrogens and, 235, 249
- Introgression lines (ILs)
naturally-occurring genetic variation in *Arabidopsis* and, 148, 151–52, 156
- Invertases
atmospheric CO₂ changes and Free-Air CO₂
- Enrichment, 600
gibberellin signaling and, 213
- Ipriflavone
phytoestrogens and, 238
- Iron toxicity
acid soil tolerance by crops and, 460
- Isoflavone
7-O-methyltransferase
phytoestrogens and, 233
- Isoflavone synthase
phytoestrogens and, 232–33, 242–43
- Isoflavonoids
phytoestrogens and, 225, 227–44
- Isopenicillin
metabolic channeling in plants and, 98
- Isopentenyl diphosphate
sterol biosynthesis and accumulation, 429
- Isoprenoids
sterol biosynthesis and accumulation, 429–49
- Isotope dilution gas chromatography mass spectrometry with selected ion monitoring
phytoestrogens and, 230–31
- Isozyme markers
naturally-occurring genetic variation in *Arabidopsis* and, 144
- J**
- Jasmonate
naturally-occurring genetic variation in *Arabidopsis* and, 150
- Jasmonic acid
ubiquitin-26S proteasome proteolytic pathway and, 573
- JUV gene
- naturally-occurring genetic variation in *Arabidopsis* and, 156
- K**
- Kaempferol
metabolic channeling in plants and, 95
phytoestrogens and, 237, 242
- Kaempferol 3-triglucoside
history of research, 8
- Kalanchoe fedtschenkoi*
phosphoenolpyruvate carboxylase and, 78–79
- Kanamycin resistance
DNA methylation and epigenetics, 45
- KGM genes
gibberellin signaling and, 207
- KGM serine/threonine kinase
gibberellin signaling and, 211–12
- Kranz paradigm
vs single-cell C₄ photosynthesis, 173–92
- KRY genes
naturally-occurring genetic variation in *Arabidopsis* and, 156
- Kwao Keur
phytoestrogens and, 248
- kyp/suvh4* gene
DNA methylation and epigenetics, 59, 60
- L**
- La³⁺
Ca²⁺-based signaling systems and, 406, 412
- la cry* mutants
gibberellin signaling and, 214
- Lamina
history of research, 6
- Landscapes

- atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 597
- Lanosterol
sterol biosynthesis and
accumulation, 432
- Lanosterol 14 α -demethylase
sterol biosynthesis and
accumulation, 440
- Lariciresinol
phytoestrogens and, 228
- LD gene
initiation of flowering in
Arabidopsis and, 525
- LD mapping
naturally-occurring genetic
variation in *Arabidopsis*
and, 151–52
- Leaf area index (LAI)
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 595, 608–10,
613, 615
- Leaf development
history of research, 5–8, 10
- Legume root hairs
Ca²⁺-based signaling
systems and, 401–19
- Lemna* spp.
initiation of flowering in
Arabidopsis and, 530
- Lepidium* spp.
Ca²⁺-based signaling
systems and, 406
- Ler* accession
naturally-occurring genetic
variation in *Arabidopsis*
and, 146, 151, 153,
156–57, 161–62
- Leu heptad repeats
gibberellin signaling and,
201
- Leukemia
phytoestrogens and, 238
- leul* mutant
gibberellin signaling and,
203
- LFY* genes
gibberellin signaling and,
213
initiation of flowering in
Arabidopsis and, 521,
524, 526–28
naturally-occurring genetic
variation in *Arabidopsis*
and, 145
- lh gene
history of research, 15
- LHCP* gene
VIGS vectors and, 506
- lhp1* gene
DNA methylation and
epigenetics, 59
- LHY* gene
initiation of flowering in
Arabidopsis and, 526
- Licoricidin
phytoestrogens and, 242
- Life cycle
atmospheric CO₂ changes
and Free-Air CO₂
Enrichment, 591, 602–6,
609–11, 613–15
gibberellin signaling and,
216
grass-seedborne fungal
endophyte symbiosis and,
316–20
naturally-occurring genetic
variation in *Arabidopsis*
and, 143
- Light-dependent pathway
initiation of flowering in
Arabidopsis and, 521,
525–26
- Light signaling
ubiquitin–26S proteasome
proteolytic pathway and,
574–75
- Lignins
metabolic channeling in
plants and, 94–95, 98
phytoestrogens and, 225,
227–29, 237, 246–48
- Lindleyin
phytoestrogens and, 248
- Liquid chromatography
electrospray ionization
tandem mass
spectrometry
phytoestrogens and, 235
- Liquiritigenin
phytoestrogens and,
232–33
- Long-day (LD) conditions
initiation of flowering in
Arabidopsis and, 523–27,
530
- Low-density lipoprotein
(LDL)
phytoestrogens and, 240
- luciferase (LUC)* gene
gibberellin signaling and,
202–3
- LUC-superexpressor* mutants
gibberellin signaling and,
203
- Lung cancer
phytoestrogens and, 238
- Lupinus albus*
acid soil tolerance by crops
and, 480
- Luteolin
phytoestrogens and, 237
- Lycopsida* spp.
history of research, 5
- M**
- Maclura pomifera*
phytoestrogens and, 244
- Macromolecular complexes
enzymatic
metabolic channeling in
plants and, 85–101
- Macrophyll
history of research, 5–6
- MADS*-box genes
initiation of flowering in
Arabidopsis and, 524,
526, 530
naturally-occurring genetic

- variation in *Arabidopsis* and, 157
- Malonyl CoA
metabolic channeling in plants and, 95
- Malonyl transferase
phytoestrogens and, 234
- Maltose
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
- Maltose-binding protein
metabolic channeling in plants and, 100-1
- MAM genes
naturally-occurring genetic variation in *Arabidopsis* and, 153-54
- Manganese tolerance
acid soil tolerance by crops and, 459-60, 472-73
- "Marks", 409-10
- Mass-flow hypothesis
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 599
- Matairesinol
phytoestrogens and, 226, 228, 231, 246
- Matrix attachment regions
chromosome structure/organization and, 541
- Medicago sativa*
acid soil tolerance by crops and, 478
Ca²⁺-based signaling systems and, 412
metabolic channeling in plants and, 96
- Medicago trunculata*
Ca²⁺-based signaling systems and, 412
phytoestrogens and, 243
ubiquitin-26S proteasome proteolytic pathway and, 561
- Medicarpin
phytoestrogens and, 243
- Menopause
phytoestrogens and, 240
- Meristem
initiation of flowering in *Arabidopsis* and, 521, 526-27
- Mesembryanthemum crystallinum*
phosphoenolpyruvate carboxylase and, 79
- Mesophyll
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593-95, 599-600
- MET1 gene
chromosome structure/organization and, 541
DNA methylation and epigenetics, 55-59
- Meta-analysis
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591, 606-15
- Metabolic channeling
in plants
Calvin cycle, 89-91
cysteine synthase complex, 87-89
Dhurrin biosynthesis, 91-94
enzyme complexes in plants, 97
future research, 97-101
global interaction-detection methods, 100-1
high-throughput methods, 100-1
introduction, 86-87
metabolon research in plants, 87
phenylpropanoid pathway, 94-97
small proteins in enzyme complex formation, 89-91
structural biology, 97-100
- Metabolic engineering
of plants
phytoestrogens and, 225, 242-43
- Metabolism
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593, 599
gibberellin signaling and, 198, 214
grass-seedborne fungal endophyte symbiosis and, 325-26
naturally-occurring genetic variation in *Arabidopsis* and, 141, 161-62
phytoestrogens and, 234-35, 246, 250
reactive oxygen species and, 373-91
sterol biosynthesis and accumulation, 429
- Metabolomics
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 603
naturally-occurring genetic variation in *Arabidopsis* and, 142
- Metabolons
metabolic channeling in plants and, 85-101
- 4 α -Methyl sterol
4-demethylation
sterol biosynthesis and accumulation, 436-37
- Methylation
phytoestrogens and, 233
- 24-Methylene cycloartenol
sterol biosynthesis and accumulation, 435-36
- 24-Methylene lophenol

- sterol biosynthesis and accumulation, 431, 434–35
- Methylthioalkylmalate synthase naturally-occurring genetic variation in *Arabidopsis* and, 153–54
- Methyltransferases chromosome structure/organization and, 540–41 sterol biosynthesis and accumulation, 434–36
- MG132 proteasome inhibitor gibberellin signaling and, 205
- Mg²⁺ Ca²⁺-based signaling systems and, 406
- Microarrays gibberellin signaling and, 216 metabolic channeling in plants and, 100
- Microorganisms intestinal phytoestrogens and, 235, 249
- Microphyll history of research, 5–6
- microRNA initiation of flowering in *Arabidopsis* and, 529
- Microsatellites naturally-occurring genetic variation in *Arabidopsis* and, 144–45
- Microsomes metabolic channeling in plants and, 92–93 sterol biosynthesis and accumulation, 434–35, 440
- Migration naturally-occurring genetic variation in *Arabidopsis* and, 145
- Mitochondria alternative NAD(P)H dehydrogenases of plant mitochondria, 23–34 Ca²⁺-based signaling systems and, 402, 409–10 naturally-occurring genetic variation in *Arabidopsis* and, 144 reactive oxygen species and, 380
- Mitogen-activated protein kinase (MAPK) signaling pathways reactive oxygen species and, 383
- Mobile loops phosphoenolpyruvate carboxylase and, 75
- mom1* mutants DNA methylation and epigenetics, 60
- Monocots gibberellin signaling and, 202
- Monolignols phytoestrogens and, 247
- Monosaccharides sugar and amino acid transport, 341–62
- mop1* mutants DNA methylation and epigenetics, 54
- Morphogens initiation of flowering in *Arabidopsis* and, 529
- mtDNA naturally-occurring genetic variation in *Arabidopsis* and, 144
- MUSTA algorithm metabolic channeling in plants and, 99
- Mutualism grass-seedborne fungal endophyte symbiosis and, 315–31
- MYB transcription factors gibberellin signaling and, 209
- N NAA history of research, 7
- NAD(P)H alternative NAD(P)H dehydrogenases of plant mitochondria, 23–34 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593, 611 metabolic channeling in plants and, 89, 96
- Nanosensor sugar and amino acid transport, 341–62
- Naringenin phytoestrogens and, 232–33, 243–46
- Near isogenic lines (NILs) naturally-occurring genetic variation in *Arabidopsis* and, 148, 152
- Neddylation gibberellin signaling and, 215
- Negative regulators gibberellin signaling and, 200–2
- Nematodes grass-seedborne fungal endophyte symbiosis and, 325
- Neomycin phosphotransferase DNA methylation and epigenetics, 45–46, 49, 60
- Neotyphodium* spp. grass-seedborne fungal endophyte symbiosis and, 315
- Neurospora crassa* DNA methylation and

- epigenetics, 53, 59
metabolic channeling in plants and, 86
- Nicotiana benthamiana*
sterol biosynthesis and accumulation, 440
VIGS vectors and, 496, 505–9
- Nicotiana tabacum*
acid soil tolerance by crops and, 463, 478
sterol biosynthesis and accumulation, 435
- Nitella* spp.
Ca²⁺-based signaling systems and, 411
- Nitric oxide synthase (NOS)
phytoestrogens and, 246
- Nitrogen
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 595, 599–601, 612–13, 615
metabolic channeling in plants and, 92
naturally-occurring genetic variation in *Arabidopsis* and, 161–62
sugar and amino acid transport, 341–62
- Nodulation factor
Ca²⁺-based signaling systems and, 401–19
- Nonselective cation channels (NSCCs)
plasma membrane
Ca²⁺-based signaling systems and, 403, 405–6
- Nopaline synthase promoter
DNA methylation and epigenetics, 45–46, 49, 58
- NOSpro-NPTII transgene
DNA methylation and epigenetics, 45–46, 49, 58, 60
- NPTII gene
DNA methylation and epigenetics, 45–46, 49, 60
N-terminal domain
gibberellin signaling and, 203
Nuclear localization
gibberellin signaling and, 201, 206
Nuclease sensitivity tests
DNA methylation and epigenetics, 54
Nucleosomes
chromosome structure/organization and, 539
Nutraceuticals
phytoestrogens and, 225–50
- O**
- OAS-TL gene
metabolic channeling in plants and, 89
- Obesity
phytoestrogens and, 240
- Obtusifoliol-14 α -demethylase
sterol biosynthesis and accumulation, 432, 437, 439–40
- OGT genes
gibberellin signaling and, 200, 206
- Oogoniols
sterol biosynthesis and accumulation, 429
- Open reading frames (ORFs)
naturally-occurring genetic variation in *Arabidopsis* and, 152–53
- Open-top chambers
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591, 601–13
- Organic acid exudation
acid soil tolerance by crops and, 459–83
- Oryza sativa*
acid soil tolerance by crops and, 475
sterol biosynthesis and accumulation, 435
- Oscillations
[Ca²⁺]_{cyt}
Ca²⁺-based signaling systems and, 401–2, 411–18
- OsEXP4 promoter
gibberellin signaling and, 213
- Osteoporosis
phytoestrogens and, 225, 238–39
- Oxidative burst
reactive oxygen species and, 375, 386–87
- Oxidative stress
reactive oxygen species and, 373
- 2,3-Oxidosqualene
sterol biosynthesis and accumulation, 429
- 2,3 (S)-Oxidosqualene-cycloartenol cyclase
sterol biosynthesis and accumulation, 432, 434
- Oxygen (O₂)
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593, 596–98
- P**
- Paclobutrazol
gibberellin signaling and, 199
- PAI genes
DNA methylation and epigenetics, 47–48, 56–57, 59
VIGS vectors and, 506
- papI-D mutants
phytoestrogens and, 243
- Paramutation

- DNA methylation and epigenetics, 54–55
- Pathogen defense
 reactive oxygen species and, 373, 386–87
 ubiquitin–26S proteasome proteolytic pathway and, 576
- Patterning
 DNA methylation and epigenetics, 47–48
- PcG* genes
 initiation of flowering in *Arabidopsis* and, 522–23, 525
- PDF2* gene
 initiation of flowering in *Arabidopsis* and, 521
- PDS* genes
 VIGS vectors and, 506
- Peltate trichomes
 phytoestrogens and, 244
- PEP carboxylase
 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 595, 613
- Pericams
 Ca²⁺-based signaling systems and, 419
- Petiole
 history of research, 6, 7
- PGM* genes
 naturally-occurring genetic variation in *Arabidopsis* and, 162
- Pharbitis* spp.
 history of research, 4
- Phenolic compounds
 acid soil tolerance by crops and, 470
- Phenotype
 gibberellin signaling and, 198–201, 204–5
 naturally-occurring genetic variation in *Arabidopsis* and, 142, 144–52
- Phenylalanine ammonia-lyase (PAL)
 metabolic channeling in plants and, 94–96, 99
- Phenylpropanoids
 metabolic channeling in plants and, 85, 94–97
 sterol biosynthesis and accumulation, 432
- Pheromones
 sterol biosynthesis and accumulation, 429
- Phloem
 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 599–600
- pho* mutants
 acid soil tolerance by crops and, 482
- PHOR1* gene
 gibberellin signaling and, 200
- Phosphate
 naturally-occurring genetic variation in *Arabidopsis* and, 161–62
- Phosphatidylethanolamine-binding protein (PE-BP)
 initiation of flowering in *Arabidopsis* and, 528
- Phosphoenolpyruvate carboxylase (PEPC)
 activation, 76
 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 614
 C₄-PEPC, 77
 catalytic reaction mechanism, 75–76
 conclusions, 80
 future research, 80
 introduction, 70–71
 kinetic properties, 72–74
 mobile loops, 75
 PEPC carboxylase, 78–79
 PEPC carboxylase kinase, 77–78
 phosphorylation, 76–78
 primary structures, 72
 three-dimensional structure, 73–74
- Phosphoglycerate kinase
 metabolic channeling in plants and, 90
- Phosphopentose isomerase
 metabolic channeling in plants and, 90
- Phosphorebulo kinase
 metabolic channeling in plants and, 89–91
- Phosphorous deficiency stress (phosphorous efficiency)
 acid soil tolerance by crops and, 459–60, 480–83
- Phosphorylation
 gibberellin signaling and, 205–6, 211
 phosphoenolpyruvate carboxylase and, 76–78
- Photinia* spp.
 history of research, 6
- Photobiology
 history of research, 11
- Photosynthesis
 atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591–616
 grass-seedborne fungal endophyte symbiosis and, 326–28
 history of research, 4
 vs single-cell C₄ photosynthesis vs dual cell (Kranz) paradigm, 173–92
- PHY* genes
 history of research, 13, 15–17
 initiation of flowering in *Arabidopsis* and, 525
 naturally-occurring genetic variation in *Arabidopsis* and, 154, 157
- Phycocyanobilin

- history of research, 14
- Phyllotaxis
history of research, 5
- Phyllotreta nemorum*
metabolic channeling in plants and, 92
- Phylogeny
history of research, 5–6
- Phylogeographic structure
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Physcomitrella patens*
ubiquitin–26S proteasome proteolytic pathway and, 563
- Phytates
naturally-occurring genetic variation in *Arabidopsis* and, 151, 162
- Phytoalexins
phytoestrogens and, 233–34
- Phytochromes
history of research, 1, 9–19
- Phytoestrogens
flavonoids
health beneficial effects, 245–46
occurrence, 244–45
introduction, 226–27
isoflavonoids
bioavailability, 234–35
biosynthesis, 232–34
cancer, 235–38
cardiovascular disease, 239–40
cognitive function, 240–41
dietary sources, 227–32
fertility, 241
health beneficial effects, 235–42
immunity, 242
inflammation, 242
metabolic engineering, 242
metabolism, 234–35
occurrence, 227–32
postmenopausal ailments, 238–39
reproduction, 241
sex determination in plants, 243–44
- lignans
biosynthesis, 247
health beneficial effects, 247–48
occurrence, 246–47
miscellaneous classes, 248–49
reassessing health beneficial effects, 249–50
- Phytophthora infestans*
reactive oxygen species and, 375
- Phytophthora* spp.
Ca²⁺-based signaling systems and, 404
- PI gene
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Pinoresinol
phytoestrogens and, 228
- Pinoresinol/lariciresinol
reductase (PLR)
phytoestrogens and, 228–29, 247
- Pinus taeda*
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 612
- Pisum* spp.
history of research, 17
- PKABA1 gene
gibberellin signaling and, 215
- pkl mutants
gibberellin signaling and, 199–200
- Plant breeding
acid soil tolerance by crops and, 459
naturally-occurring genetic variation in *Arabidopsis* and, 152, 163
- Plant growth
grass-seedborne fungal endophyte symbiosis and, 326–27
naturally-occurring genetic variation in *Arabidopsis* and, 141–63
- Plasma membrane
Ca²⁺-based signaling systems and, 402–6
- Plastids
transformation in higher plants, 289–304
- Pleiotropic effects
naturally-occurring genetic variation in *Arabidopsis* and, 151, 158, 161–62
ubiquitin–26S proteasome proteolytic pathway and, 569–70
- Plumules
history of research, 8
- Plutella* spp.
naturally-occurring genetic variation in *Arabidopsis* and, 149
- Poaceae
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613
grass-seedborne fungal endophyte symbiosis and, 315–31
- Polygonum* spp.
phytoestrogens and, 248
- Polymerase chain reaction (PCR)
DNA methylation and epigenetics, 48
- Polymorphisms
acid soil tolerance by crops and, 475
naturally-occurring genetic variation in *Arabidopsis*

- and, 141, 144, 150,
152–54, 163
- Population structure
naturally-occurring genetic
variation in *Arabidopsis*
and, 144–45
- Populus tremuloides*
metabolic channeling in
plants and, 95
- Positive regulators
gibberellin signaling and,
199–200
- Postmenopause
phytoestrogens and, 231,
236, 238–41, 248
- "Pot effect", 601
- Prenylchalcones
phytoestrogens
and, 245
- 8-Prenylnaringenin
phytoestrogens and, 241,
244–46
- Primordia
history of research, 5–6
- Primula kiwensis*
metabolic channeling in
plants and, 96
- Proanthocyanidins
metabolic channeling in
plants and, 95, 97
- Progesterone receptor
phytoestrogens and,
236–37
- Progesterin
phytoestrogens and, 241
- Programmed cell death
reactive oxygen species
and, 373
- Propagation
 Ca^{2+} -based signaling
systems and, 410–11
- Prostate cancer
phytoestrogens and, 225,
236–38, 247–48
- Prostate-specific antigen
(PSA)
phytoestrogens and, 237
- Proteasomes
gibberellin signaling and,
197, 199, 205
ubiquitin–26S proteasome
proteolytic pathway and,
555–80
- Protein degradation
gibberellin signaling and,
197, 203–5
ubiquitin–26S proteasome
proteolytic pathway and,
555–80
- Protein expression and
activity profiling
acid soil tolerance by crops
and, 479
- Protein kinases
atmospheric CO_2 changes
and Free-Air CO_2
Enrichment, 600
 Ca^{2+} -based signaling
systems and, 407
decoding Ca^{2+} signals
through plant protein
kinases, 263–83
- Protein phosphatases
reactive oxygen species
and, 384
- Proteolysis
gibberellin signaling and,
197–98, 204, 206
ubiquitin–26S proteasome
proteolytic pathway and,
555–80
- Proteomics
atmospheric CO_2 changes
and Free-Air CO_2
Enrichment, 603
gibberellin signaling and,
212, 216
naturally-occurring genetic
variation in *Arabidopsis*
and, 142
ubiquitin–26S proteasome
proteolytic pathway and,
555–80
- Prunus* spp.
history of research, 6
Pseudomonas aeruginosa
acid soil tolerance by crops
and, 478
psr1 mutants
acid soil tolerance by crops
and, 482
Pueraria spp.
phytoestrogens and,
231–32, 248
- Q**
- QTL cloning
naturally-occurring genetic
variation in *Arabidopsis*
and, 152–54
- QTL mapping
naturally-occurring genetic
variation in *Arabidopsis*
and, 147–52
- Qualitative inheritance
tolerance loci with
acid soil tolerance by
crops and, 473–75
- Quantitative inheritance
tolerance loci with
acid soil tolerance by
crops and, 475–76
- Quantitative trait loci (QTLs)
acid soil tolerance by crops
and, 470, 475–76,
483
naturally-occurring genetic
variation in *Arabidopsis*
and, 141, 147–54, 163
- Quantitative trait nucleotides
(QTNs)
naturally-occurring genetic
variation in *Arabidopsis*
and, 152–54
- Quercetin
metabolic channeling in
plants and, 95
phytoestrogens and, 242
- Quinic acid
metabolic channeling in
plants and, 95

- R**
- Raffinose**
naturally-occurring genetic variation in *Arabidopsis* and, 161
- Rafts**
sterol biosynthesis and accumulation, 430
- Ralstonia** spp.
naturally-occurring genetic variation in *Arabidopsis* and, 149
- Raphanus sativus**
acid soil tolerance by crops and, 463
- Ratiospecto II**
history of research, 10
- rbcS** gene
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 599
- rbh** mutants
reactive oxygen species and, 376, 387
- Rbx** protein
gibberellin signaling and, 199
- rcn1** mutants
Ca²⁺-based signaling systems and, 414, 416
- Reaction-diffusion**
mechanisms
Ca²⁺-based signaling systems and, 410-11
- Reactive oxygen species (ROS)**
abiotic stress, 377-80, 386-87
biotic stress, 375-77, 386-87
Ca²⁺-based signaling systems and, 404-5, 414
chloroplasts, 377-79
conclusions, 389-91
detoxification, 380-82
enzymatic ROS scavenging mechanisms, 381-82
generation, 374-75
histidine kinases, 383
hydrogen peroxide, 377-79
introduction, 374
mitochondria, 380
mitogen-activated protein kinase (MAPK) signaling pathways, 383
nonenzymatic ROS scavenging mechanisms, 380-81
open questions, 389-91
pathogen defense, 386-87
protein phosphatases, 384
roots, 388
sensing, 383
signaling, 382-86
singlet oxygen, 379
stomata, 388
superoxide, 377-79
transcription factors, 384-86
- Recombinant inbred lines (RILs)**
acid soil tolerance by crops and, 470, 476
naturally-occurring genetic variation in *Arabidopsis* and, 141, 148, 150-51, 161-62
- "Recommended daily doses"**
phytoestrogens and, 250
- Red light**
history of research, 8-11, 16-18
initiation of flowering in *Arabidopsis* and, 525
- Relative growth rate**
naturally-occurring genetic variation in *Arabidopsis* and, 160
- REP** genes
gibberellin signaling and, 210
- Repeated arrays**
DNA methylation and epigenetics, 53
- Repression**
initiation of flowering in *Arabidopsis* and, 522-23
- Reproduction**
phytoestrogens and, 225, 241-42
- Resistance loci**
naturally-occurring genetic variation in *Arabidopsis* and, 146, 149, 153
- Respiration**
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593, 598
- Restriction fragment length polymorphisms (RFLPs)**
acid soil tolerance by crops and, 475
naturally-occurring genetic variation in *Arabidopsis* and, 144
- Resveratrol**
phytoestrogens and, 245-46
- Retrotransposons**
chromosome structure/organization and, 540
DNA methylation and epigenetics, 48
- Reverse genetics**
VIGS vectors and, 495
- RGA** genes
gibberellin signaling and, 201-2, 204-6, 214-15
initiation of flowering in *Arabidopsis* and, 524, 529
- RGL** genes
gibberellin signaling and, 201-2, 206-7
- R** genes
naturally-occurring genetic variation in *Arabidopsis* and, 146, 149, 153
- Rhamnogalacturonan II**
structure and function, 109-31

- Rheum* spp.
phytoestrogens and, 248
- Rhizosphere pH
acid soil tolerance by crops and, 470–71
- Ribulose biphosphate
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 593
- Ribulose-1,5-biphosphate
carboxylase/oxygenase
metabolic channeling in plants and, 90
- Ricinus communis*
sterol biosynthesis and accumulation, 435
- RNA-directed DNA (RdDM)
methylation
DNA methylation and epigenetics, 43–49
- RNA insertion (RNAi)
technology
DNA methylation and epigenetics, 41–61
naturally-occurring genetic variation in *Arabidopsis* and, 142
VIGS vectors and, 495, 510
- RNA polymerases
RNA-dependent
DNA methylation and epigenetics, 49–52
- Root hairs
legume
Ca²⁺-based signaling systems and, 401–19
- Roots
acid soil tolerance by crops and, 459–83
reactive oxygen species and, 388
- Rosaceae*
ubiquitin–26S proteasome proteolytic pathway and, 577
- Roundup™
phytoestrogens and, 232
- RPM1* gene
naturally-occurring genetic variation in *Arabidopsis* and, 154
- RPS2* gene
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Rubisco
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591–616
DNA methylation and epigenetics, 45, 50
metabolic channeling in plants and, 89
- Rubus fruticosus*
sterol biosynthesis and accumulation, 440, 443
- S**
- Saccharomyces cerevisiae*
acid soil tolerance by crops and, 477–79
sterol biosynthesis and accumulation, 434, 436, 440
ubiquitin–26S proteasome proteolytic pathway and, 556
- Saccharum* spp.
acid soil tolerance by crops and, 477
- SAD* gene
gibberellin signaling and, 211–12
- Salmonella typhimurium*
metabolic channeling in plants and, 88
- Scavenging mechanisms
reactive oxygen species and, 380–82
- SCF E3 ligases
gibberellin signaling and, 197, 205–6
- Schizachyrium scoparium*
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613
- Schizosaccharomyces pombe*
chromosome
structure/organization and, 541
DNA methylation and epigenetics, 46
ubiquitin–26S proteasome proteolytic pathway and, 564
- Scrophulariaceae*
ubiquitin–26S proteasome proteolytic pathway and, 577
- SEC gene
gibberellin signaling and, 200
- Secale cereale*
acid soil tolerance by crops and, 463–74
- Secoisolaricresinol
phytoestrogens and, 226, 228–29, 231, 246–47
- Secoisolaricresinol
dehydrogenase (SDH)
phytoestrogens and, 228–29
- Second messengers
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
Ca²⁺-based signaling systems and, 401–19
- Secondary metabolism
grass-seedborne fungal endophyte symbiosis and, 325–26
- Sedoheptulose-1:7-biphosphatase
metabolic channeling in plants and, 90
- Sedoheptulose-1:7-biphosphatase (SBPase)
atmospheric CO₂ changes and Free-Air CO₂

- Enrichment, 611
- Seed dormancy
naturally-occurring genetic variation in *Arabidopsis* and, 149, 151, 163
- Selection
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Selenastrum minutum*
phosphoenolpyruvate carboxylase and, 71
- Self-incompatibility
ubiquitin-26S proteasome proteolytic pathway and, 576-77
- Senescence
ubiquitin-26S proteasome proteolytic pathway and, 577-78
- Sense RNA
sterol biosynthesis and accumulation, 431
- Sensors
reactive oxygen species and, 383
sugar and amino acid transport, 341-62
- Sequence tagged sites (STS)
naturally-occurring genetic variation in *Arabidopsis* and, 145
- SERCA
Ca²⁺-based signaling systems and, 412
- SET domain proteins
DNA methylation and epigenetics, 59-60
- Sex determination
phytoestrogens and, 243-44
- Sex hormone binding globulin (SHBG)
phytoestrogens and, 236, 241
- Sex hormones
phytoestrogens and, 235, 250
- SGS2/SDE1* gene
DNA methylation and epigenetics, 50-52
- shi* mutants
gibberellin signaling and, 201, 214
- Shikimate
metabolic channeling in plants and, 97
phytoestrogens and, 232
- Shikimic acid
metabolic channeling in plants and, 95
- ShMTPI* gene
acid soil tolerance by crops and, 473
- Shoot apex
gibberellin signaling and, 215
history of research, 5-7
- Shoot apical meristems
initiation of flowering in *Arabidopsis* and, 523, 527
- Short-day (SD) conditions
initiation of flowering in *Arabidopsis* and, 523-24, 527, 530
- Signaling
decoding Ca²⁺ signals through plant protein kinases, 263-83
DNA methylation and epigenetics, 46-47, 52-55
history of research, 19
initiation of flowering in *Arabidopsis* and, 529-30
reactive oxygen species and, 382-86
ubiquitin-26S proteasome proteolytic pathway and, 574-75
- Signal-to-noise ratio (SNR)
Ca²⁺-based signaling systems and, 419
- Signal transduction
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600
Ca²⁺-based signaling systems and, 401-19
gibberellin signaling and, 207-12
reactive oxygen species and, 373
- Single-copy nuclear sequences
naturally-occurring genetic variation in *Arabidopsis* and, 144
- Single nucleotide polymorphisms (SNPs)
naturally-occurring genetic variation in *Arabidopsis* and, 150, 154
- Sink metabolism
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 599
- siRNA signals
DNA methylation and epigenetics, 46-47
- Sitosterol
phytoestrogens and, 227
sterol biosynthesis and accumulation, 429, 435-36, 440
- Size constraints
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 591, 602-5, 606, 609-11, 613-15
- sleepyl* mutants
gibberellin signaling and, 199
- sln1* mutant
gibberellin signaling and, 202, 294-98, 210, 214-15
- SLR1* gene
gibberellin signaling and, 202, 204-5, 207, 210, 215
- SLY* genes

- gibberellin signaling and, 199, 205–7, 214
- Small-angle neutron scattering
metabolic channeling in plants and, 100
- smi* mutants
sterol biosynthesis and accumulation, 435–36
- SOC1* gene
initiation of flowering in *Arabidopsis* and, 521, 528
- Soil
acid
tolerance by crops and, 459–83
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 603
- Solanaceae*
ubiquitin–26S proteasome proteolytic pathway and, 577
- Solanum tuberosum*
sterol biosynthesis and accumulation, 436
- Sophora flavescens*
phytoestrogens and, 245
- Sophoroflavone G
phytoestrogens and, 245
- Sorghastrum nutans*
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613
- Sorghum bicolor*
acid soil tolerance by crops and, 463–74
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613, 615
metabolic channeling in plants and, 93
- Soybean
phytoestrogens and, 225–44, 249–50
“Sparks”, 409–10
- Speciation
grass-seedborne fungal endophyte symbiosis and, 328–29
- Spectrophotometry
history of research, 10–13, 17
- Sphingosine-1-phosphate
Ca²⁺-based signaling systems and, 415–16
- Spodoptera exigua*
naturally-occurring genetic variation in *Arabidopsis* and, 153
- Spore germination
history of research, 11
- SPY* genes
gibberellin signaling and, 200–1, 207, 210, 215
- SS* genes
phytoestrogens and, 245
- Stachyose
naturally-occurring genetic variation in *Arabidopsis* and, 161
- Starch
atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 600, 607, 609
- Steroids
phytoestrogens and, 226
- Sterols
biosynthesis and accumulation of
accumulation, 447–48
S-adenosylmethionine-sterol-C-methyltransferases, 434–36
Arabidopsis genomic sequences, 433
biosynthesis, 447–48
biosynthetic scheme leading to phytosterols, 431–44
conjugation, 445–46
cycloartenol synthase, 432, 434
cyclopropyl sterol isomerase, 437
4,4-dimethyl sterol, 436–37
discussion, 446–49
esterification, 445
functions of sterols, 448–49
gene expression, 446–47
gene organization, 446–47
glycosylation, 445–46
introduction, 429–30
4 α methyl sterol 4-demethylation, 436–37
obtusifolii-14 α -demethylase, 437, 439–40
2,3 (S)-oxidosqualene-cycloartenol cyclase, 432, 434
 Δ 5-sterol
 Δ 24-isomerase, 444
 Δ 5-sterol
 Δ 24-reductase, 444
 Δ 5,7-sterol
 Δ 7-reductase, 443–44
 Δ 7-sterol-C5(6)-desaturase, 442–43
 Δ 8- Δ 7-sterol isomerase, 441–42
 Δ 8,14-sterol- Δ 14-reductase, 440–41
phytoestrogens and, 227
- Stigmasterol
phytoestrogens and, 227, 238
- Stigmatella aurantiaca*
sterol biosynthesis and accumulation, 434
- Stilbenes
phytoestrogens and, 225

- Stimulus-response coupling
 Ca^{2+} -based signaling systems and, 401–19
- Stipules
 history of research, 5–7
- Stomach cancer
 phytoestrogens and, 238
- Stomata
 atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 591–616
 Ca^{2+} -based signaling systems and, 401–19
 gibberellin signaling and, 216
 reactive oxygen species and, 373, 388
- Structural biology
 metabolic channeling in plants and, 85, 97–100
 phosphoenolpyruvate carboxylase and, 69–80
- Stylosanthes hamata*
 acid soil tolerance by crops and, 473
- Sucrose
 atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 599–600, 612
 initiation of flowering in *Arabidopsis* and, 529
 naturally-occurring genetic variation in *Arabidopsis* and, 161
 sugar and amino acid transport, 341–62
- sulfur mutants
 VIGS vectors and, 506
- Superoxide
 reactive oxygen species and, 377–79
- SUP gene
 DNA methylation and epigenetics, 56–59
- Suppressor of *zeste12* gene
 initiation of flowering in *Arabidopsis* and, 522
- SV channel
 Ca^{2+} -based signaling systems and, 406
- SX-1 gene
 initiation of flowering in *Arabidopsis* and, 525
- Symbioses
 of grasses with seedborne fungal endophytes
 abiotic stress tolerance, 326–27
 conclusions, 331
 coordinated life histories, 316–21
 effects on other organisms, 322–25
 endophyte secondary metabolism, 325–26
Epichloë speciation and co-phylogeny with hosts, 328–29
 evolution of grass-endophyte systems, 328–30
 fungal pollination, 320–21
 fungi, 325
 growth, 326–27
 host physiology, 326–28
 host specificity, 328
 insects, 322–23
 interspecific hybrids, 329–30
 introduction, 316
 nematodes, 325
 photosynthesis, 326–28
 plants, 325
 regulating endophyte growth in *planta*, 321–22
 symbiotic continuum and life cycles, 316–20
 third mutualist, 320–21
 vertebrates, 323–25
- Synechocystis* spp.
 metabolic channeling in plants and, 90
- Syringaresinol
 phytoestrogens and, 246
- Syringyl lignin
 metabolic channeling in plants and, 95
- System biology
 naturally-occurring genetic variation in *Arabidopsis* and, 142
- Systemin
 initiation of flowering in *Arabidopsis* and, 529
- T**
- Tamoxifen
 phytoestrogens and, 237
- Targeted gene silencing
 DNA methylation and epigenetics, 41–61
- Taxonomy
 naturally-occurring genetic variation in *Arabidopsis* and, 142–43
- T-DNA insertional mutations
 Ca^{2+} -based signaling systems and, 408
 naturally-occurring genetic variation in *Arabidopsis* and, 142, 153
 sterol biosynthesis and accumulation, 429, 431
- Temperature
 leaf
 atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 597–98, 604, 610
- Terrestrial biosphere
 atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 591–616
- TFL genes
 initiation of flowering in *Arabidopsis* and, 528–29
 naturally-occurring genetic

- variation in *Arabidopsis* and, 145
- Thioredoxin**
metabolic channeling in plants and, 89–90
- Third mutualist**
grass-seedborne fungal endophyte symbiosis and, 320–21
- Thyroid cancer**
phytoestrogens and, 238
- Tobacco**
transgenic
history of research, 14, 18
- TOC1 gene**
initiation of flowering in *Arabidopsis* and, 526
- Tolerance**
acid soil tolerance by crops and, 459–83
naturally-occurring genetic variation in *Arabidopsis* and, 149, 163
- Topology**
of neighbor-joining trees
naturally-occurring genetic variation in *Arabidopsis* and, 145
- Total internal reflection fluorescence (TIRF)**
 Ca^{2+} -based signaling systems and, 419
- TPC gene**
 Ca^{2+} -based signaling systems and, 403–4
- trans-acting factors**
gibberellin signaling and, 197–98
- Transcription factors**
gibberellin signaling and, 209–12
reactive oxygen species and, 384–86
- Transcriptomics**
naturally-occurring genetic variation in *Arabidopsis* and, 142, 151
phytoestrogens and, 250
- Transgenes**
acid soil tolerance by crops and, 477
DNA methylation and epigenetics, 45–46, 52, 54–56
gibberellin signaling and, 200, 202, 204
history of research, 14, 18
initiation of flowering in *Arabidopsis* and, 528
naturally-occurring genetic variation in *Arabidopsis* and, 151
phytoestrogens and, 232
sterol biosynthesis and accumulation, 435, 436
VIGS vectors and, 495–96
- Transgressive segregation**
naturally-occurring genetic variation in *Arabidopsis* and, 147
- Transients**
[Ca^{2+}]_{cyt}
 Ca^{2+} -based signaling systems and, 401–2, 411–18
- Transketolase**
metabolic channeling in plants and, 90
- Transpiration**
atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 591, 595–96, 604, 609, 614
- Transport**
acid soil tolerance by crops and, 481, 483
sugar and amino acid transport, 341–62
- Transposons**
DNA methylation and epigenetics, 41, 48–50, 54, 57
naturally-occurring genetic variation in *Arabidopsis* and, 142, 144, 146, 158
sterol biosynthesis and accumulation, 429–31
- Trees**
atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 602–4, 605, 612–13
- Trichome morphogenesis**
ubiquitin–26S proteasome proteolytic pathway and, 577
- Trichoplusia spp.**
naturally-occurring genetic variation in *Arabidopsis* and, 149
- Triose phosphate**
atmospheric CO_2 changes and Free-Air CO_2 Enrichment, 598
- Triose-phosphate isomerase**
metabolic channeling in plants and, 90
- Triticale spp.**
acid soil tolerance by crops and, 463
- Triticum aestivum**
acid soil tolerance by crops and, 463, 478
- Trypanosoma brucei**
sterol biosynthesis and accumulation, 434
- Two-pore calcium channel (TPC)**
 Ca^{2+} -based signaling systems and, 403–4
- U**
- U73122**
 Ca^{2+} -based signaling systems and, 412
- Ubiquitin–26S proteasome**
proteolytic pathway
abiotic environment, 574–75
abscisic acid, 572–73

- auxins, 571–72
 biotic environment, 576–77
 cell division, 570–71
 circadian rhythms, 575
 conclusions, 579–80
 conjugation cascade, 558–62
 cytokinins, 573
 deubiquinating enzymes, 564–65
 development, 569–70, 577–78
 E1 isoforms, 558
 E2 isoforms, 558–59
 E3 ligases, 559–61
 ethylene, 574
 flower development, 577
 functions, 568–79
 general features, 557–58
 genomic analysis, 565–66
 gibberellic acid, 572
 gibberellin signaling, 197, 205–6
 homeostasis, 569–70
 hormone responses, 571–74
 introduction, 556
 jasmonic acid, 573
 light signaling, 574–75
 pathogens, 576
 perspectives, 579–80
 pleiotropic control, 569–70
 26S proteasome, 562–64
 self-incompatibility, 576–77
 senescence, 577–78
 trichome morphogenesis, 577
 Ub-activating enzymes, 558
 Ub-conjugating enzymes, 558–59
 ubiquitin protein, 557–58
 ubiquitin-related proteins, 566–68
 Uniconazole
 gibberellin signaling
- and, 199–200
 Uridine diphosphate glucose
 phytoestrogens and, 228–29
- V**
- Vacuolar channel
 gibberellin signaling and, 215
 Vascular differentiation
 history of research, 5
 Vascular endothelial growth
 factor (VEGF)
 phytoestrogens and, 248
 Vascularization
 history of research, 5
 Verapamil
 Ca²⁺-based signaling
 systems and, 412–13
 Vernalization pathway
 initiation of flowering in
 Arabidopsis and, 521–22, 525–26
 Vertebrates
 grass-seedborne fungal
 endophyte symbiosis and, 323–25
 Very-low fluence responses
 (VLFRs)
 history of research, 16–17
 VHYNP motif
 gibberellin signaling and, 204
Vicia faba
 Ca²⁺-based signaling
 systems and, 404, 414
 VIGS vectors
 DNA methylation and
 epigenetics, 50, 52
 for gene silencing
 appendix, 510
 biology of VIGS, 498, 500–1
 functional genomics, 508–9
 future research, 509–10
- gene function studies, 507–8
 inoculation viral vectors
 and safety, 501, 505
 introduction, 496–97
 optimizing silencing, 505–6
 silencer as target, 501–4
 viruses as vectors, 497–99
- VIP genes
 initiation of flowering in
Arabidopsis and, 525
- VRN genes
 initiation of flowering in
Arabidopsis and, 525
- W**
- WAK1 gene
 acid soil tolerance by crops
 and, 469, 477
- Water status
 atmospheric CO₂ changes
 and Free-Air CO₂
 Enrichment, 594–96, 602, 614
- Wheat genomics
 history of research, 4
- Whole-genome expression
 profiling
 gibberellin signaling and, 216
- WLC genes
 initiation of flowering in
Arabidopsis and, 523
- Wnt signaling
 gibberellin signaling and, 200
- WRKY genes
 gibberellin signaling and, 212
- Ws accession
 naturally-occurring genetic
 variation in *Arabidopsis*
 and, 146
- WW protein

initiation of flowering in
Arabidopsis and, 525

K

- Xanthohumol
 - phytoestrogens and, 245
- Xanthomonas* spp.
 - naturally-occurring genetic variation in *Arabidopsis* and, 149
- Xenopus laevis*
 - acid soil tolerance by crops and, 468
 - Ca²⁺-based signaling systems and, 405
- X-ray crystallography
 - phosphoenolpyruvate carboxylase and, 73-74

Y


- Yeast
 - acid soil tolerance by crops and, 477-79
 - history of research, 14
 - metabolic channeling in plants and, 88, 100
 - reactive oxygen species and, 373
 - sterol biosynthesis and accumulation, 429, 432, 434, 436, 440
 - ubiquitin-26S proteasome proteolytic pathway and, 556
- Yeast elicitor
 - Ca²⁺-based signaling systems and, 413
- Yellow fluorescent protein

(YFP)

- chromosome
 - structure/organization and, 545-46
- metabolic channeling in plants and, 92

Z

- Zea mays*
 - acid soil tolerance by crops and, 463, 475
 - atmospheric CO₂ changes and Free-Air CO₂ Enrichment, 613
 - sterol biosynthesis and accumulation, 435, 440
- ZMET2 gene
 - DNA methylation and epigenetics, 57



CONTENTS

AN UNFORESEEN VOYAGE TO THE WORLD OF PHYTOCHROMES, <i>Masaki Furuya</i>	1
ALTERNATIVE NAD(P)H DEHYDROGENASES OF PLANT MITOCHONDRIA, <i>Allan G. Rasmusson, Kathleen L. Soole, and Thomas E. Elthon</i>	23
DNA METHYLATION AND EPIGENETICS, <i>Judith Bender</i>	41
PHOSPHOENOLPYRUVATE CARBOXYLASE: A NEW ERA OF STRUCTURAL BIOLOGY, <i>Katsura Izui, Hiroyoshi Matsumura, Tsuyoshi Furumoto, and Yasushi Kai</i>	69
METABOLIC CHANNELING IN PLANTS, <i>Brenda S.J. Winkel</i>	85
RHAMNOGALACTURONAN II: STRUCTURE AND FUNCTION OF A BORATE CROSS-LINKED CELL WALL PECTIC POLYSACCHARIDE, <i>Malcolm A. O'Neill, Tadashi Ishii, Peter Albersheim, and Alan G. Darvill</i>	109
NATURALLY OCCURRING GENETIC VARIATION IN <i>ARABIDOPSIS</i> <i>THALIANA</i> , <i>Maarten Koornneef, Carlos Alonso-Blanco, and Dick Vreugdenhil</i>	141
SINGLE-CELL C ₄ PHOTOSYNTHESIS VERSUS THE DUAL-CELL (KRANZ) PARADIGM, <i>Gerald E. Edwards, Vincent R. Franceschi, and Elena V. Voznesenskaya</i>	173
MOLECULAR MECHANISM OF GIBBERELLIN SIGNALING IN PLANTS, <i>Tai-ping Sun and Frank Gubler</i>	197
PHYTOESTROGENS, <i>Richard A. Dixon</i>	225
DECODING Ca ²⁺ SIGNALS THROUGH PLANT PROTEIN KINASES, <i>Jeffrey F. Harper, Ghislain Breton, and Alice Harmon</i>	263
PLASTID TRANSFORMATION IN HIGHER PLANTS, <i>Pal Maliga</i>	289
SYMBIOSES OF GRASSES WITH SEEDBORNE FUNGAL ENDOPHYTES, <i>Christopher L. Schardl, Adrian Leuchtman, Martin J. Spiering</i>	315
TRANSPORT MECHANISMS FOR ORGANIC FORMS OF CARBON AND NITROGEN BETWEEN SOURCE AND SINK, <i>Sylvie Lalonde, Daniel Wipf, and Wolf B. Frommer</i>	341

REACTIVE OXYGEN SPECIES: METABOLISM, OXIDATIVE STRESS, AND SIGNAL TRANSDUCTION, <i>Klaus Apel and Heribert Hirt</i>	373
THE GENERATION OF Ca^{2+} SIGNALS IN PLANTS, <i>Alistair M. Hetherington and Colin Brownlee</i>	401
BIOSYNTHESIS AND ACCUMULATION OF STEROLS, <i>Pierre Benveniste</i>	429
HOW DO CROP PLANTS TOLERATE ACID SOILS? MECHANISMS OF ALUMINUM TOLERANCE AND PHOSPHOROUS EFFICIENCY, <i>Leon V. Kochian, Owen A. Hoekenga, and Miguel A. Piñeros</i>	459
VIGS VECTORS FOR GENE SILENCING: MANY TARGETS, MANY TOOLS, <i>Dominique Robertson</i>	495
GENETIC REGULATION OF TIME TO FLOWER IN <i>ARABIDOPSIS THALIANA</i> , <i>Yoshitomi Komeda</i>	521
VISUALIZING CHROMOSOME STRUCTURE/ORGANIZATION, <i>Eric Lam, Naohiro Kato, and Koichi Watanabe</i>	537
THE UBIQUITIN 26S PROTEASOME PROTEOLYTIC PATHWAY, <i>Jan Smalle and Richard D. Vierstra</i>	555
RISING ATMOSPHERIC CARBON DIOXIDE: PLANTS FACE THE FUTURE, <i>Stephen P. Long, Elizabeth A. Ainsworth, Alistair Rogers, and Donald R. Ort</i>	591
INDEXES	
Subject Index	629
Cumulative Index of Contributing Authors, Volumes 45–55	661
Cumulative Index of Chapter Titles, Volumes 45–55	666

ERRATA

An online log of corrections to *Annual Review of Plant Biology*
chapters may be found at <http://plant.annualreviews.org/>

